

II - Cortadoras a Gasolina



Your global solution manufacturer

■ Asphalt - Abrasive Materials

  [Asphalt Intensive] - APS..... II-3

  [Asphalt Entry] - APH..... II-4

■ Cured Concrete

  [Incisor FS] - ICS FS..... II-5

  [Granit Turbo Laser] - GTL..... II-6

  [High Performance Concrete] - BTL..... II-7

  [Tri-Cut] - SP9..... II-9

  [Multi Materials Granite] - SPG 17..... II-10

  [Multi Materials Granite] - SPG 13..... II-11

  [Multi Materials Granite] - SPG SIL..... II-11

  [Concrete High Performance] - STL..... II-12

  [Universal Concrete] - BPL..... II-13

  [Abrasive Concrete] - BPH..... II-14

  [Fast Wall Saw] - WSM..... II-15

[Asphalt Intensive]



- Asphalt (abrasive aggregates)
- "DEEP" segments for core protection
- EFT Segments - Neat and fast cut, without vibration
- Very high efficiency with good cutting speed



APS



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	No. Prot.	Stock	Code
300	20	18	42	13	2,8	3	SN	APS1301C
300	25,4	18	42	13	2,8	3	SN	APS1307C
350	20	21	40	13	3,0	3	SN	APS1308C
350	25,4	21	40	13	3,0	3	SN	APS1302C
400	25,4	24	40	13	3,2	4	SN	APS1303C

AX-520 / FS-AS13



APH



[Asphalt Entry]

**NEW**

- Asphalt (abrasive aggregates), soft abrasive concrete, abrasive brick
- "DEEP" segments for core protection
- Fast cut



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	No. Prot.	Stock	Code
300	20	18	40	11	2,8	3	SN	APH0001
300	25,4	18	40	11	2,8	3	SN	APH0002
350	20	21	40	11	3,0	3	SN	APH0003
350	25,4	21	40	11	3,0	3	SN	APH0004
400	20	24	40	11	3,2	4	SN	APH0005
400	25,4	24	40	11	3,2	4	SN	APH0006

FX-200 / FS-BTH11

[Incisor FS]



- Intensive work : granite, concrete, reinforced concrete, all intensive work, all building materials, flint, steel, wiremesh reinforcing
- Especially for compact materials and heavily reinforced
- Fast cut
- High output, high performance





Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	20	41	13	2,8	SN	ICS1306
300	25,4	20	41	13	2,8	SN	ICS1307
350	20	21	40	13	3,0	SN	ICS1308
350	25,4	21	40	13	3,0	SN	ICS1309
400	20	24	40	13	3,2	SN	ICS1310
400	25,4	24	40	13	3,2	SN	ICS1311

CRB / CRB-ICS



ICS FS



GTL

[Granit Turbo Laser]

NEW

- Mixed concrete, granit, asphalte
- EFT segments - Neat and fast cut, without vibration
- Very high cutting speed



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	20	42	13	2,8	SN	GTL1301
300	25,4	20	42	13	2,8	SN	GTL1302
350	20	22	40	13	3,0	SN	GTL1303
350	25,4	22	40	13	3,0	SN	GTL1304
400	20	26	40	13	3,2	SN	GTL1305
400	25,4	26	40	13	3,2	SN	GTL1306

FX-215 / MIX-GS13


[High Performance Concrete]



- Reinforced concrete, self-locking cobblestones, washed concrete slabs
- EFT segments - Neat and fast cut, without vibration
- Long life, high output




BTL



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	18	40	13	2,8	SN	BTL1301C
300	25,4	18	40	13	2,8	SN	BTL1302C
350	20	21	40	13	3,0	SN	BTL1303C
350	25,4	21	40	13	3,0	SN	BTL1304C
400	20	24	40	13	3,2	SN	BTL1305C
400	25,4	24	40	13	3,2	SN	BTL1306C

CX-520 / FS-BTU13

BSL 17



[High Performance Concrete]


NEW


- Highest universality : fibre concrete, reinforced concrete, flint concrete, lintels, granite kerbs, sand-lime bricks
- EFT segments - Neat and fast cut, without vibration
- High cutting speed and very long life
- Segment height 17 mm with coated diamond



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	19	43	17	2,8	SN	BSL1701
300	25,4	19	43	17	2,8	SN	BSL1702
350	20	22	42	17	3,0	SN	BSL1703
350	25,4	22	42	17	3,0	SN	BSL1704
400	20	25	44	17	3,2	SN	BSL1705
400	25,4	25	44	17	3,2	SN	BSL1706

UX-570 / FR-UX17

[Tri-Cut]



NEW

- Universal concrete, asphalt, granite
- For paviour and light floor saw application
- "DEEP" segments for core protection
- EFT segments - Neat and fast cut, without vibration
- High output





SP9



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	No. Prot.	Stock	Code
300	20	18	42	13	2,8	3	SN	SP90002
350	20	21	42	13	3,0	3	SN	SP90003
350	25,4	21	42	13	3,0	3	SN	SP90004
400	20	24	40	13	3,2	4	SN	SP90005
400	25,4	24	40	13	3,2	4	SN	SP90006

FX-560 / BT-SP9

SPG 17



[Multi Materials Granite]



- Granite intensive, all construction materials
- EFT segments, low vibration, neat cut
- Optimized for dry cutting



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	19	43	17	2,8	SN	SPG1701
300	25,4	19	43	17	2,8	SN	SPG1702
350	20	22	42	17	3,0	SN	SPG1703
350	25,4	22	42	17	3,0	SN	SPG1704
400	20	24	44	17	3,2	SN	SPG1705
400	25,4	24	44	17	3,2	SN	SPG1706

GX-530 / FS-G17

[Multi Materials Granite]



- Granite intensive, all construction materials
- EFT segments, low vibration, neat cut
- Optimized for dry cutting



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	20	42	13	2,8	SN	SPG1301
300	25,4	20	42	13	2,8	SN	SPG1302
350	20	24	40	13	3,0	SN	SPG1303
350	25,4	24	40	13	3,0	SN	SPG1304
400	20	28	40	13	3,2	SN	SPG1305
400	25,4	28	40	13	3,2	SN	SPG1306

GX-520 / FS-G13

SPG 13



[Multi Materials Granite]




- Granite intensive, all construction materials
- EFT segments, low vibration, neat cut
- Silent, sandwich steel core
- Optimized for dry cutting




Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
350	25,4	24	40	13	3,0	SN	SPGS302
400	25,4	24	40	13	3,2	SN	SPGS301

GX-520 / FS-G13

SPG SIL



STL

[Concrete High Performance]


- All construction materials, reinforced concrete, granite, lintels
- Ideal for high-density and highly reinforced concrete
- EFT segments - Neat and fast cut, without vibration
- High performance



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	18	41	13	2,8	SN	STL1305
300	20	20	41	13	2,8	SN	STL1312
300	25,4	20	41	13	2,8	SN	STL1313
350	20	21	40	13	3,0	SN	STL1307
350	20	24	40	13	3,0	SN	STL1317
350	25,4	21	40	13	3,0	SN	STL1308
350	25,4	24	40	13	3,0	SN	STL1318
400	20	24	40	13	3,2	SN	STL1309
400	25,4	24	40	13	3,2	SN	STL1310
400	25,4	28	40	13	3,2	SN	STL1314

Turbo segments
UX-560 / FR-SP13

[Universal Concrete]



NEW

- Universal : concrete, granite, all building materials
- Extremely versatile
- Excellent price / performance ratio



BPL



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	20	40	11	2,8	SN	BPL1001
300	25,4	20	40	11	2,8	SN	BPL1002
350	20	24	40	11	3,0	SN	BPL1003
350	25,4	24	40	11	3,0	SN	BPL1004
400	20	26	40	11	3,2	SN	BPL1005
400	25,4	26	40	11	3,2	SN	BPL1006

UX-218 / FS-BT11 (replaces US-235 / WL32)

BPH
[Abrasive Concrete]

NEW

- Mixed abrasive concrete, asphalte
- Excellent Price / performance ratio
- Very good lifetime



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	No. Prot.	Stock	Code
300	20	18	40	11	2,8		SN	BPH0001T
300	25,4	18	40	11	2,8	3	SN	BPH0002T
350	20	21	40	11	3,0		SN	BPH0003T
350	25,4	21	40	11	3,0	3	SN	BPH0004T
400	20	24	40	11	3,2		SN	BPH0005T
400	25,4	24	40	11	3,2	4	SN	BPH0006T

FX-200 / FS-BTH11

[Fast Wall Saw]



NEW

- All construction materials, granite
- Neat cut, low vibration
- Very fast cut, thin segments



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	20	36	20	12	2,8	SN	WSM0016
350	25,4	44	20	12	2,8	SN	WSM0017
400	25,4	24	44	17	3,2	SN	WSM0018
400	25,4	28	40	13	3,0	SN	WSM0021
415	25,4	28	40	13	3,0	SN	WSM0020
430	25,4	48	20	13	3,0	SN	WSM0022
500	30	60	20	10	2,8	SN	WSM0019

WS-508 / BT-C40
GX-520 / G13

WSM

