

III - Cortadoras de mesa



Your global solution manufacturer

■ Masonry Saws

		[Concrete Dark Grey] - TAS.....	III-3
		[Masonry Orange] - TMS/TMB.....	III-4
		[Granite Turbo] - TMG.....	III-5
		[Granite Turbo Silent] - TMG Sil.....	III-5
		[Marble White] - TMC.....	III-6
		[Ceramic Pro] - TCR.....	III-7

■ Tile Cutter

		[Ceramic Pro] - CRU.....	III-8
		[Tile Cutter Grey] - JBT.....	III-9
		[Ceramic] - JCR.....	III-10
		[Thin Turbo Tile Cutter] - JTC.....	III-11

[Concrete Dark Grey]



- Universel concrete, masonry, lintels, kerbs, pavement, breezeblock
- EFT segments - Neat and fast cut, without vibration
- High output



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	25,4	18	42	13	2,8	SN	TAS1301
350	25,4	21	40	13	3,0	SN	TAS1302
400	25,4	24	40	13	3,2	SN	TAS1303
450	25,4	25	40	13	3,6	SN	TAS1304
500	25,4	30	40	13	3,6	SN	TAS1305
600	25,4	34	40	13	3,6	SN	TAS1306
650	25,4	36	40	13	3,6	SN	TAS1307
700	25,4	40	40	13	3,6	SN	TAS1308
750	25,4	42	40	13	3,6	SN	TAS1310
800	25,4	45	40	13	3,6	SN	TAS1311

UX-220 / FS-B13 (Ø300-Ø400)

CX-540 / FS-C13 (Ø > 400)




TAS



TMS/TMB

[Masonry Orange]



- Universal : Masonry, concrete tiles, bricks, expanded clay blocks, natural sandstone, concrete blocks, lintels
- Highly versatile
- Excellent price / performance ratio



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
300	25,4	20	40	11	2,8	SN	TMS1001
350	25,4	24	40	11	3,0	SN	TMS1002
400	25,4	26	40	11	3,2	SN	TMS1003
450	25,4	25	40	11	3,6	SN	TMB0004
500	25,4	30	40	11	3,6	SN	TMB0005
600	25,4	34	40	11	4,0	SN	TMB0006
650	25,4	36	40	11	4,0	SN	TMB0007
700	25,4	40	40	11	4,0	SN	TMB0008
750	25,4	42	40	11	4,0	SN	TMB0017
750	25,4	42	40	11	4,6	SN	TMB0009
800	25,4	45	40	11	4,0	SN	TMB0018
800	25,4	45	40	11	4,6	SN	TMB0010
900	25,4	58	40	11	4,6	SN	TMB0011
1000	25,4	58	40	11	4,6	SN	TMB0012

UX-218 / FS-BT11

[Granite Turbo]

- Granite, porphyre, self-locking cobblestones, washed concrete slabs, stradalite
- Easy-cut saw blade for gardening and landscaping



TMG



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
250	25,4	17	41	13	2,8	SN	TMG1010
300	20	18	41	13	2,8	SN	TMG1011
350	20	21	40	13	3,0	SN	TMG1013
350	25,4	21	40	13	3,0	SN	TMG1014
400	20	24	40	13	3,2	SN	TMG1015
400	25,4	24	40	13	3,2	SN	TMG1016

GX-534 / FR-GB13

[Granite Turbo Silent]

- Granite, porphyre, self-locking cobblestones, washed concrete slabs, stradalite



TMG Sil.



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
250	25,4	17	41	13	2,8	SN	TMGS010
300	25,4	18	41	13	2,8	SN	TMGS012
350	25,4	21	40	13	3,0	SN	TMGS014
400	25,4	24	40	13	3,2	SN	TMGS016

GX-534 / FR-GB13

TMC



[Marble White]



- Marble, agglomerate tiles, terracotta, Belgian Blue Stone, limestone
- Joining segments
- Precise and quick cut
- Brazed segments for wet cut only



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
350	30/25,4	24	40	10	2,8	SN	TMC1003
400	30/25,4	28	40	10	3,6	SN	TMC1004
450	30/25,4	32	40	10	3,6	SN	TMC1005
500	30/25,4	36	40	10	3,6	SN	TMC1006

MS-520 / M3S

[Ceramic Pro]

TCR

- Porcelain, stoneware and ceramic as well as granite and marble
- Fast, smooth cutting
- High output
- Brazed segments for wet cut only



Ø	Bore	No. Segm.	Segm. Length	Segm. Height	Segm. Width	Stock	Code
250	30/25,4	20	40	8,5	2,4	SN	TCR0005
300	30/25,4	24	40	8,5	2,4	SN	TCR0006
350	30/25,4	28	40	8,5	2,4	SN	TCR0004
400	30/25,4	32	40	8,5	2,8	SN	TCR0001
500	30/25,4	36	40	8,5	3,4	SN	TCR0003

TS-220 / BAS8

CRU

[Ceramic Pro]



- Porcelain, ceramic
- Fast, smooth cutting
- High output




Ø	Bore	No. Segm.	Segm. Height	Segm. Width	Stock	Code
115	22,2	1	8	1,5	SN	CRU7001
125	22,2	1	8	1,5	SN	CRU7002
150	25,4/22,2	1	8	1,6	SN	CRU7003
180	30/25,4	1	8	1,6	SN	CRU7004
200	30/25,4	1	8	1,6	SN	CRU7005
230	22,2	1	8	1,6	SN	CRU7006
230	30/25,4	1	8	1,6	SN	CRU7007
250	30/25,4	1	8	1,6	SN	CRU7008
300	30/25,4	1	8	2,0	SN	CRU7009
350	30/25,4	1	8	2,0	SN	CRU7010

TR-550 / CRU7

[Tile Cutter Grey]



- Enamelled ceramic, dense tiles, hard vitrified products, porcelain, enamel, hard marble
- Sintered continuous rim
- Precise and neat cut




JBT



Ø	Bore	No. Segm.	Segm. Height	Segm. Width	Stock	Code
115	22,2	1	7	1,5	SN	JBT0002C
125	22,2	1	7	1,5	SN	JBT0003C
150	22,2	1	7	1,5	SN	JBT0004C
180	22,2	1	7	1,6	SN	JBT0005C
200	30/25,4	1	7	1,6	SN	JBT0006C
230	22,2	1	7	1,65	SN	JBT0007C
250	30/25,4	1	7	1,65	SN	JBT0008C
300	30/25,4	1	7	2,0	SN	JBT0009C
350	30/25,4	1	7	2,0	SN	JBT0010C

TR-530 / SL2

JCR



[Ceramic]



- Ceramic, porcelain, marble
- Precise cut
- Thin tool with Turbo rim



Ø	Bore	No. Segm.	Segm. Height	Segm. Width	Stock	Code
115	22,2	1	10	1,4	SN	JCR0001
125	22,2	1	10	1,4	SN	JCR0002

TT-521 / TR10

[Thin Turbo Tile Cutter]



- Enamelled ceramic, dense tiles, hard vitrified products, porcelain, enamel, hard marble
- Thin, cobalt sintered continuous rim with Turbo profil
- Intensive work



JTC



Ø	Bore	No. Segm.	Segm. Height	Segm. Width	Stock	Code
115	22,2	1	7	1,4	SN	JTC4001C
125	22,2	1	7	1,4	SN	JTC4002C
150	25,4/22,2	1	7	1,4	SN	JTC4003C
180	30/25,4	1	7	1,6	SN	JTC4004C
200	30/25,4	1	7	1,6	SN	JTC4005C
230	22,2	1	7	1,6	SN	JTC4006C
250	30/25,4	1	7	1,6	SN	JTC4007C
300	30/25,4	1	7	2,0	SN	JTC4008C
350	30/25,4	1	7	2,0	SN	JTC4009C

TT-520 / SL4